


RESINET *Products U.S., Inc.*




(317) 346-4110
www.drainagesolutionsinc.com



RESINET *Products U.S., Inc.*


PRODUCT SPECIFICATIONS – DIAMOND MESH			
PRODUCT CODE	ROLL SIZE	WEIGHT	TENSILE STRENGTH
DM50448100	4’ X 100’	22 LBS	250 LBS/FT
DM5044850	4’ X 50’	11 LBS	250 LBS/FT


MATERIAL: HIGH DENSITY POLYETHELENE
ULTRAVIOLET RESISTANCE: FULLY STABILIZED
EFFECTIVE TEMPERATURE RANGE: -60°F TO 180°F
TENSILE YIELD: 3200 PSI
ULTIMATE TENSILE STRENGTH: 2600 PSI
COLORS: ORANGE & GREEN. OTHER COLORS AVAILABLE UPON REQUEST.



PRODUCT SPECIFICATIONS			
PRODUCT CODE	ROLL SIZE	WEIGHT	TENSILE STRENGTH
OL2548100	4’ X 100’	11 LBS	750 LBS/FT

MATERIAL: HIGH DENSITY POLYETHELENE
ULTRAVIOLET RESISTANCE: FULLY STABILIZED
EFFECTIVE TEMPERATURE RANGE: -60°F TO 180°F
TENSILE YIELD: 3200 PSI
ULTIMATE TENSILE STRENGTH: 2600 PSI
NOMINAL MESH OPENINGS: 3-1/2” X 1-1/2”
COLORS: ORANGE
PALLET QUANTITY: 100 ROLLS





RESINET *Products U.S., Inc.*

Effective January 1, 1997

PRODUCT SPECIFICATIONS			
PRODUCT CODE	ROLL SIZE	WEIGHT	TENSILE STRENGTH
OL3548100	4' X 100'	14 LBS	800 LBS/FT

MATERIAL: HIGH DENSITY POLYETHELENE

ULTRAVIOLET RESISTANCE: FULLY STABILIZED

EFFECTIVE TEMPERATURE RANGE: -60°F TO 180°F


TENSILE YIELD: 3200 PSI

ULTIMATE TENSILE STRENGTH: 2600 PSI


NOMINAL MESH OPENING: 3" X 1-1/4"

COLORS: ORANGE & GREEN.

ALL VALUES + OR – 10%



2040 AETNA ROAD • P.O. BOX 1401 • ASHTABULA, OHIO 44004
1-800-521-2598 • FAX: (440) 964-7809 • LOCAL: (440) 992-6664



RESINET *Products U.S., Inc.*

Effective January 1, 1997

PRODUCT SPECIFICATIONS – SNOW CONTROL	
PRODUCT CODE: SF50	RESINET SNOW CONTROL FENCE

MAIN END USE: SNOW CONTROL

RESIN: IIDPE

EFFECTIVE TEMPERATURE RANGE: -60°F TO 180°F

TENSILE YIELD: 4450 PSI

ULTIMATE TENSILE STRENGTH: 5200 PSI

ELONGATION AT BREAK: 150%

TENSILE STRENGTH: 370 LBS/FT

COLOR CONCENTRATE: 3%

ROLL LENGTHS: 100'


ROLL WEIGHT: 41 & 52 LBS/ROLL

WIDTH: 48" (4') & 60" (5')


MESH OPENING: 1-1/4" X 2" (ON 60" 1-1/4" X 2" **YELLOW ONLY**)

% OPEN AREA: 55% APPROX

COLORS: ORANGE, BLACK & GREEN.



2040 AETNA ROAD • P.O. BOX 1401 • ASHTABULA, OHIO 44004
1-800-521-2598 • FAX: (440) 964-7809 • LOCAL: (440) 992-6664




RESINET *Products U.S., Inc.*


Effective January 1, 2000

PRODUCT SPECIFICATIONS	
PRODUCT CODE: SL20	RESINET WARNING BARRIER FENCE

MAIN END USE: WARNING BARRIER
RESIN: HDPE
EFFECTIVE TEMPERATURE RANGE: -60°F TO 180°F
TENSILE YIELD: 3200 PSI
ULTIMATE TENSILE STRENGTH: 2600 PSI
ELONGATION AT BREAK: 150%
COLOR CONCENTRATE: 3%
ROLL LENGTHS: 50' & 100'
ROLL WEIGHT: 8.5 & 17 LBS
WIDTH: 4'
MESH OPENING: 2" X 2-1/2" (+ OR – 10%)
COLORS: ORANGE & GREEN.



2040 AETNA ROAD • P.O. BOX 1401 • ASHTABULA, OHIO 44004
1-800-521-2598 • FAX: (440) 964-7809 • LOCAL: (440) 992-6664




RESINET *Products U.S., Inc.*


Effective January 1, 2001

PRODUCT SPECIFICATIONS			
PRODUCT CODE	ROLL SIZE	WEIGHT	TENSILE STRENGTH
SLM4048100	4' X 100'	23 LBS	140 LBS/FT
SLM404850	4' X 50'	11 LBS	140 LBS/FT

MATERIAL: HIGH DENSITY POLYETHELENE
ULTRAVIOLET RESISTANCE: FULLY STABILIZED
EFFECTIVE TEMPERATURE RANGE: -60°F TO 180°F
TENSILE YIELD: 3200 PSI
ULTIMATE TENSILE STRENGTH: 2600 PSI
COLORS: ORANGE, GREEN, YELLOW, BLACK & WHITE. OTHER COLORS AVAILABLE UPON REQUEST.



2040 AETNA ROAD • P.O. BOX 1401 • ASHTABULA, OHIO 44004
1-800-521-2598 • FAX: (440) 964-7809 • LOCAL: (440) 992-6664




RESINET *Products U.S., Inc.*


Effective January 1, 2001

PRODUCT SPECIFICATIONS			
PRODUCT CODE	ROLL SIZE	WEIGHT	TENSILE STRENGTH
SLM4548100	4' X 100'	18 LBS	130 LBS/FT

MATERIAL: HIGH DENSITY POLYETHELENE
ULTRAVIOLET RESISTANCE: FULLY STABILIZED
EFFECTIVE TEMPERATURE RANGE: -60°F TO 180°F
TENSILE YIELD: 3200 PSI
ULTIMATE TENSILE STRENGTH: 2600 PSI
COLORS: ORANGE & GREEN. OTHER COLORS AVAILABLE UPON REQUEST.



2040 AETNA ROAD • P.O. BOX 1401 • ASHTABULA, OHIO 44004
1-800-521-2598 • FAX: (440) 964-7809 • LOCAL: (440) 992-6664




RESINET *Products U.S., Inc.*


Effective January 1, 1997

PRODUCT SPECIFICATIONS			
PRODUCT CODE	ROLL SIZE	WEIGHT	TENSILE STRENGTH
SM2048100	4' X 100'	36 LBS	

MATERIAL: HIGH DENSITY POLYETHELENE
ULTRAVIOLET RESISTANCE: FULLY STABILIZED
EFFECTIVE TEMPERATURE RANGE: -60°F TO 180°F
TENSILE YIELD: 3200 PSI
ULTIMATE TENSILE STRENGTH: 2600 PSI
NOMINAL MESH OPENING: 1/2" X 1/2"
ELONGATION AT BREAK: 150%
COLORS: BLACK




2040 AETNA ROAD • P.O. BOX 1401 • ASHTABULA, OHIO 44004
1-800-521-2598 • FAX: (440) 964-7809 • LOCAL: (440) 992-6664



RESINET Products U.S., Inc.



(317) 346-4110
www.drainagesolutionsinc.com




RESINET Products U.S., Inc.

PRODUCT SPECIFICATIONS			
PRODUCT CODE	ROLL SIZE	WEIGHT	TENSILE STRENGTH
OL3548100	4' X 100'	13 LBS	425 LBS/FT

MATERIAL: HIGH DENSITY POLYETHELENE
ULTRAVIOLET RESISTANCE: FULLY STABILIZED
EFFECTIVE TEMPERATURE RANGE: -60°F TO 180°F
TENSILE YIELD: 3200 PSI


ULTIMATE TENSILE STRENGTH: 2600 PSI
NOMINAL MESH OPENING: 3-3/4" X 1-3/4"
COLORS: ORANGE & GREEN.
ALL VALUES + OR - 10%




PRODUCT SPECIFICATIONS			
PRODUCT CODE	ROLL SIZE	WEIGHT	TENSILE STRENGTH
OL3048100	4' X 100'	10 LBS	370 LBS/FT

MATERIAL: HIGH DENSITY POLYETHELENE
ULTRAVIOLET RESISTANCE: FULLY STABILIZED
EFFECTIVE TEMPERATURE RANGE: -60°F TO 180°F
TENSILE YIELD: 3200 PSI

ULTIMATE TENSILE STRENGTH: 2600 PSI
NOMINAL MESH OPENINGS: 4" X 1-3/4"
COLORS: ORANGE
PALLET QUANTITY: 100 ROLLS





RESINET Products U.S., Inc.



DRAINAGE
SOLUTIONS, INC

(317) 346-4110

www.drainagesolutionsinc.com

PRODUCT SPECIFICATIONS

PRODUCT CODE	ROLL SIZE	WEIGHT	TENSILE STRENGTH
SLM4548100	4' X 100'	18 LBS	130 LBS/FT

MATERIAL: HIGH DENSITY POLYETHELENE

ULTRAVIOLET RESISTANCE: FULLY STABILIZED

EFFECTIVE TEMPERATURE RANGE: -60°F TO 180 °F

TENSILE YIELD: 3200 PSI

ULTIMATE TENSILE STRENGTH: 2600 PSI

COLORS: ORANGE & GREEN. OTHER COLORS AVAILABLE UPON REQUEST.

